

Trocar sleeve with separate opening lever
with one fixed stopcock for insufflation



Smooth metal tube

Code	For laparoscope diameter	Length
T1031070	3,0 mm	70 mm
T1111110	10,0 mm	150 mm
T1051070	5,0 mm	95 mm
T1120070	12,0 mm	98 mm
T1051110	5,0 / 5,5 mm	150 mm
T1120110	12,0 mm	150 mm
T1071071	6,0 mm	95 mm
T1150070	15,0 mm	110 mm
T1101070	10,0 mm	97 mm
T1201070	20,0 mm	119 mm
T1111070	10,0 mm	101 mm



Threaded metal tube


Code	For laparoscope diameter	Length
T1051090	5,0 / 5,5 mm	95 mm
T1120090	12,0 mm	98 mm
T1111090	10,0 mm	101 mm

Trocar sleeve with separate silicone valve with fixed stopcock for insufflation



Smooth metal tube

Code	For laparoscope diameter	Length
T1031080	3,0 mm	70 mm
T1111080	10,0 mm	101 mm
T1051080	5,0 mm	95 mm
T1111120	10,0 mm	150 mm
T1051120	5,0 / 5.5 mm	150 mm
T1120080	12,0 mm	98 mm
T1070080	6,0 mm	105 mm
T1120120	12,0 mm	150 mm
T1101080	10,0 mm	97 mm



Threaded metal tube

Code	For laparoscope diameter	Length
T1051100	5,0 / 5.5 mm	95 mm
T1120100	12,0 mm	98 mm
T1111100	10,0 mm	101 mm



Conical tip

Code	For trocar sleeve diameter
T1031900	3,5 mm
T1111900	11,0 mm
T1051900	5,5 mm *
T1111980	11,0 mm
T1051980	5,5 mm *
T1120900	12,5 mm
T1070900	7,0 mm
T1120980	12,5 mm *
T1101900	10,0 mm
T1150900	15,0 mm
T1101980	10,0 mm *
T1201911	20,0 mm



Pyramidal tip

Code	For trocar sleeve diameter
T1031910	3,5 mm
T1111960	11,0 mm *
T1051910	5,5 mm
T1120910	12,5 mm
T1051960	5,5 mm *
T1120960	12,5 mm *
T1070910	7,0 mm
T1150910	15,0 mm
T1101910	10,0 mm
T1201910	20,0 mm
T1111910	11,0 mm

** To be used with trocar sleeve 150mm working length*



Conical tip

Code	For trocar sleeve diameter
T1031930	3,5 mm
T1051930	5,5 mm
T1111930	11,0 mm
T1101930	10,0 mm
T1120930	12,5 mm



Pyramidal grinding and rounded tip

Code	For trocar sleeve diameter	Length
T1051950	5,5 mm	160 mm
T1051970	5,5 mm	215 mm *
T1111970	11,0 mm	220 mm *
T1101950	10,0 mm	167 mm
T1120950	12,5 mm	171 mm
T1111950	11,0 mm	171 mm
T1120970	12,5 mm	223 mm *



Halfmoon grinding and oblique tip

Code	For trocar sleeve diameter	Length
T1051990	5,5 mm	160 mm
T1111990	11,0 mm	171 mm
T1101990	10,0 mm	167 mm
T1120990	12,5 mm	171 mm

**To be used with trocar sleeve 150mm working length*

Veress insufflation needles



Chrome plated

Code	diameter	Length
LI020070	2,0 mm	70 mm
LI020100	2,0 mm	100 mm
LI020120	2,0 mm	120 mm
LI020140	2,0 mm	140 mm
LI020060	2,0 mm	150 mm
LI027100	2,7 mm	100 mm
LI027120	2,7 mm	120 mm
LI027150	2,7 mm	150 mm
LI027170	2,7 mm	170 mm



Stainless steel

Code	diameter	Length
LI120100	2,0 mm	100 mm
LI120120	2,0 mm	120 mm
LI120150	2,0 mm	150 mm
LI127100	2,7 mm	100 mm
LI127120	2,7 mm	120 mm
LI127150	2,7 mm	150 mm

Reducers



Code	diameter	Length
L2999000	10,0 mm to 5.5 mm	190 mm
L2999001	11,0 mm to 5.5 mm	190 mm
L2999002	12,5 mm to 5.5 mm	190 mm
L2999003	12,5 mm to 10.0 mm	190 mm
L2999004	15,0 mm to 10.0 mm	190 mm
L2999005	15,0 mm to 5.5 mm	190 mm
L2999006	20,0 mm to 15.0 mm	190 mm
L2999007	20,0 mm to 10.0 mm	190 mm
L2999008	20,0 mm to 5.5 mm	190 mm

Dilatation sets



Code	diameter	Length
L2999100	5,0 mm to 10.0 mm	95 mm
L2999101	5,0 mm to 15.0 mm	95 mm
L2999102	10,0 mm to 15.0 mm	95 mm
L2999103	5,0 mm to 20.0 mm	95 mm
L2999104	10,0 mm to 20.0 mm	95 mm
L2999111	5,0 mm to 11.0 mm	95 mm